





The Twin Deadbolt and the Hookbolt locking bolts used on the Reliance locks are designed with tapered edges ensuring you achieve perfect compression against the weather seal. The locking bolts are also one piece forged helping to achieve unparalleled attack resistance.



0



All of our Reliance products have been designed to comply with the latest and most rigorous PAS 23/24 and Police Secured By Design requirements giving you total peace of mind with security these products will provide.

The range of keeps that are used on the Reliance range come with superb adjustability allowing you to micro adjust your door to achieve the very best fit. The full length keep ensures a simple and hassle free installation.



We have selected an impressive range of lever handles catering for all applications from modern, traditional and contemporary designs. We have a many sought after brands in our range such as Croft, Kirkpatrick, Fab 'N' Fix, Carlisle Brass and more.

Our comprehensive range of euro cylinders has a large range of different sizes and styles to suit all joinery applications. They are also available in Brass, chrome and black finishes.



D10	Twin Deadbolt	1
D11	Twin Deadbolt with Nightlatch	1
D20	Hookbolt	2
D50	Heritage Style with Autolock	3
D51	Heritage Style with Keylock	4
D60	Stable Door	11
D31	Twin Handle with Shootbolts slave door only	5
D30	Twin Handle with Shootbolts slave and master doors	7
D41	Single Handle with Lever Operated Shootbolts on slave Twin Deadbolt locking points	9
D40	Single Handle with Lever Operated Shootbolts on slave Hookbolt locking points	10
	Euro Cylinders	12
	Multipoint Keeps	13
	Faceplate Router Cutters	13
	Lever Handles	15



Twin Deadbolt **Multipoint Lock for** Single Doors

The easy-to-fit twin deadbolt Reliance D10 and D11 multipoint locking systems have been especially designed to give increased tolerances for door installers, allowing for upto 50% greater fitting tolerances and also for greater material movement associated with certain hardwoods.





45mm and 55mm backset available on D10

(45mm only on D11)

Minimum door height 1934mm with spindle height of 1050mm (a lower door height of 1810mm

ELIANCE

can be achieved by reducing the spindle height)

20mm radius end faceplate

'Secured by Design' approved. Tested to PAS24 and forthcoming EN14351-1:2006 standard

Manufactured by Winkhaus



The twin deadbolts have a 20mm throw that fully penetrate the keep rail helping to prevent the frame and sash being forced apart.

This impressive locking system has 5 deadbolts incorporating twin deadbolts in the upper and lower positions, providing high security levels and peace of mind.

The solid twin deadbolts in the upper and lower positions are bevelled on both sides giving the ability to draw the door up giving perfect compression to the joinery seal when the deadbolts are inserted into the keeps.



Door

upto 44	D10LH4544	D10RH4544
upto 56	D10LH4556	D10RH4556
upto 68	D10LH4568	D10RH4568

D10 Complete with Non-Adjustable Keeps

upto 44	D1045FLAT
D10 Complet	te with Full Lenth Adjustable Keep

D10LH45FLR D10LH45FLR

upto 44 D	11LH4544	D11RH4544
upto 56 D	11LH4556	D11RH4556

D11 Nightlatch* Complete with Non-Adjustab D11RH45FLAT

upto 44	D11LH45FLAT

upto 68 D11LH4568

D11 Nightlatch* Complete with Full Lenth Adj upto 56 D11LH45FLR D11RH45FLR

D11 Nightlatch

Centre gearbox strength

abusive loads.

increased by 30% to further

reduce the risk of malicious

The D11 only allows access from the outside of the property with a key due to the split follower on the central gearbox.









^{*} Order split spindle seperately on D11 AIU456





All prices stated include the multipoint lock and all keeps needed for installation






D20 Opt	ion 1 Complete with	Each	5+	10+	
upto 44	D20LH4544	D20RH4544	£66.02	£59.42	£48.19
upto 56	D20LH4556	D20RH4556	£68.60	£61.74	£50.08
upto 68	D20LH4568	D20RH4568	£69.90	£62.91	£51.02
D20 Opt	ion 2 Complete with	eps	5+	10+	
upto 44	D20LH45FLAT	D20RH45FLAT	£59.59	£53.63	£43.50

All prices stated include the multipoint lock and all keeps needed for installation

Hookbolt Multipoint Lock for Single Doors

The Reliance D20 has a unique 4.5mm chamfered steel hooks and a robust gearbox offering users low operating forces.



D20

Minimum door height 1789mm with spindle height of 1050mm

Full length 20mm square end faceplate

45mm Backset

'Secured by Design' approved.
Tested to **PAS24** and forthcoming **EN14351-1:2006** standard



Heritage Style Hookbolt Auto-locking Multipoint Lock for Single Doors



45mm Backset 55mm Backset Door Thickness Left Hand (mm) Right Hand Right Hand **D50 Autolock** Complete with Adjustable Keeps Fach D50RH4544 D50LH5544 D50RH5544 upto 44 £120.62 D50RH4556 D50LH5556 D50RH5556 upto 56 £127.03

All prices stated include the multipoint lock and all keeps needed for installation

D50RH4568

The Reliance D50 and D51 multipoint locking systems have been designed to complement and enhances the visual value of contemporary and traditional doors whilst offering higher levels of security and weather performance.

2

a similar height to a traditional round cylinder pull.

External lever handles are not required to operate the locking points and the

cylinder of the lock is located at

upto 68

The euro profile locking

locking points and the lock can be deadlocked or opened externally by turning the key. From the inside the door can be opened by an internal thumbturn.

The auto-locking feature used on the Reliance D50 provides instant higher security. All locking points are fired automatically as soon as the door is closed.

D50LH5568

D50RH5568

£126.82

A key is required to gain entry from the outside of the property



RELIANCE D50

Two solid anti pushback hooks which fully penetrate the steel keeps helping to prevent forcing apart of the door and frame

D50 Autolock

45mm and 55mm Backset

Minimum door height 1810mm

20mm radius end faceplate

'Secured by Design' approved. Tested to **PAS24** and forthcoming **EN14351-1:2006** standard

Manufactured by Winkhaus



KEEPS


Type 6

Type 5

Type 6



Heritage Style Twin Deadbolt Key Operated Multipoint Lock for Single Doors






45mm Backset Door Thickness Left Hand Right Hand (mm) **D51 Keylock** Complete with Adjustable Keeps Each 10+ 5+ upto 44 £73.89 £66.50 £53.94 £68.82 £55.82 upto 56 £76.47 upto 68 £77.76 £69.99 £56.77 D51 Keylock Complete with Non-Adjustable Flat Keeps 10+ D5145FLAT £49.24 upto 56 £67.45 £60.71

All prices stated include the multipoint lock and all keeps needed for installation

The Reliance D51 is a key turn activated locking system.

This multipoint lock features the twin tapered deadbolts in the upper and lower positions.



This gives the product up to 50% greater fitting tolerances and also allows for greater material movement associated with certain hardwoods.



D51 Keylock

45mm Backset

Minimum door height 1810mm

20mm radius end faceplate

'Secured by Design' approved. Tested to **PAS24** and forthcoming **EN14351-1:2006** standard






Double Door Multipoint Lock - Twin Handle Operation with Shootbolts on Slave Door only

The production of the high security
Reliance D31 locking system is in
response to ever increasing customer
need. The Reliance D31 is a product
of flexibility coming with two different
latch plate lengths which eliminates
door edge damage and allows you to
use many different traditional
joinery methods.





D31 Shootbolt Top and Bottom on Slave Only

Door Height

1891 - 1964	D31LH4522H1	D31RH4522H1	D31LH4512H1	D31RH4512H1
1965 - 2161	D31LH4522H2	D31RH4522H2	D31LH4512H2	D31RH4512H2
2162 - 2278	D31LH4522H3	D31RH4522H3	D31LH4512H3	D31RH4512H3
2279 - 2562	D31LH4522H4	D31RH4522H4	D31LH4512H4	D31RH4512H4
2563 - 2611	D31LH4522H5	D31RH4522H5	D31LH4512H5	D31RH4512H5
2612 - 3012	D31LH4522H6	D31RH4522H6	D31LH4512H6	D31RH4512H6

All prices stated include the multipoint lock and all keeps needed for installation

This double door system has handles fitted to both the slave and the master giving a traditional appearance and uses a twin deadbolt master lock giving you brilliant adjustability and ongoing peace of mind.

The master lock engages directly into the slave lock which has 8mm square tri-laminate shootbolts that locate into in the head and cill.

RELIANCE

Shootbolts on slave door only

Handles fitted to both slave and master doors

Shootbolts can be cropped to size to suit individual door leaf height

High anti-corrosion properties, Silver chrome 6 plating which achieves Grade 4 BS EN 1670





Suitable for both inward and outward double doors

Fully adjustable integrated keeps +/- 2mm

Door heights ranging from 1981mm - 3012mm

'Secured by Design' approved.
Tested to PAS24 and forthcoming
EN14351-1:2006 standard





Please note that all section sizes shown are recommendations only. Others section sizes and dimensions can be used.

A and B 56 mm Door

C 68 mm Door

Each 3+ units £166.32 £134.91 £172.63 £140.02 £174.11 £141.22 £176.06 £142.80 £182.83 £148.29


£151.07

£186.25

56mm section thickness with external flying mullion

Lock installed centrally in timber section
22mm adjustable latch plate
45mm backset
80mm (40/40) cylinder
Use Aquamac 124
for weather seal






56mm section thickness with single rebate

Lock installed offset in timber section 12mm adjustable latchplate 45mm backset 80mm offset (35/45) cylinder Use Aquamac 124 for weather seal







68mm section thickness with double rebate

Lock installed centrally in timber section 12mm adjustable latchplate 45mm backset 90mm (45/45) cylinder Use Aquamac 124 for weather seal





For lever options see page 15 For euro cylinders see page 12





Double Door Multipoint Lock - Twin Handle Operation with Shootbolts on Slave and Master Doors

The production of the high security Reliance D30 locking system is in response to ever increasing customer need. The Reliance D30 is a product of flexibility, which amongst many benefits allows for the production of doors which are in excess of 3 metres tall! It also comes with two different latch lengths which eliminates door edge damage and allows you to use many different traditional joinery methods.






Shootbolts on slave and master door - ideal for taller doors

> Handles fitted to both slave and master doors

Fully adjustable integrated keeps +/- 2mm

High anti-corrosion properties, Silver chrome 6 plating which achieves Grade 4 BS EN 1670



12mm	Latch Plate
В	- L
С	1
~~	
Left Hand	Right Hand

D30 Top and Bottom on Slave and Master

Door Height (mm)

2109 - 2161	D30LH4522H1	D30RH4522H1	D30LH4512H1	D30RH4512H1		
2162 - 2181	D30LH4522H2	D30RH4522H2	D30LH4512H2	D30RH4512H2		
2182 - 2278	D30LH4522H3	D30RH4522H3	D30LH4512H3	D30RH4512H3		
2279 - 2378	D30LH4522H4	D30RH4522H4	D30LH4512H4	D30RH4512H4		
2379 - 2495	D30LH4522H5	D30RH4522H5	D30LH4512H5	D30RH4512H5		
2496 - 2562	D30LH4522H6	D30RH4522H6	D30LH4512H6	D30RH4512H6		
2563 - 2779	D30LH4522H7	D30RH4522H7	D30LH4512H7	D30RH4512H7		
2780 - 2828	D30LH4522H8	D30RH4522H8	D30LH4512H8	D30RH4512H8		
2829 - 3012	D30LH4522H9	D30RH4522H9	D30LH4512H9	D30RH4512H9		

All prices stated include the multipoint lock and all keeps needed for installation

This double door system has handles fitted to both the slave and the master giving a traditional appearance and uses a twin deadbolt master lock giving you brilliant adjustability and ongoing peace of mind.

The master lock engages directly into the slave lock which has 8mm


square tri-laminate shootbolts that locate into in the head and cill.


Suitable for both inward and outward double doors

Shootbolts can be cropped to size to suit individual door leaf height

> Door heights ranging from 2109mm - 3012mm

'Secured by Design' approved. Tested to PAS24 and forthcoming EN14351-1:2006 standard





A and B 56 mm Door

Each

£204.37

£205.86

£212.16

£214.11

£215.59

£217.53 £227.73

£234.50

£237.93

3+ units

£165.77

£166.97

£173.66

£174.87 £176.44

£184.72

£190.21

£192.99

20mm

63mm


875mm

C 68 mm Door 56mm section thickness with external flying mullion

Lock installed centrally in timber section
22mm adjustable latch plate
45mm backset
80mm (40/40) cylinder
Use Aquamac 124

Please note that all section sizes shown are recommendations only. Others section sizes and dimensions can be used.





56mm section thickness with single rebate


for weather seal

Lock installed offset in timber section 12mm adjustable latchplate 45mm backset


80mm offset (35/45) cylinder

Use Aquamac 124 for weather seal





Lock installed centrally in timber section 12mm adjustable latchplate 45mm backset 90mm (45/45) cylinder Use Aquamac 124 for weather seal



For lever options see page 15 For euro cylinders see page 12



Double Door Mutipoint Lock - Single Handle Operation with Twin Deadbolt Slave Lock

The Reliance D40/41 double door lock range provides you with an exceptionally high locking option without the need for a second set of levers and cylinders.

Operated by an integrated flush two way lever the slave lock throws two heavy duty 20mm shootbolts into the head and cill of your doorset.



RELIANCE

An attractive alternative to standard twin handle double door locks

Secure 20mm long laminated steel top and bottom shootbolts

Ideal for double doors with irregular sash widths

Integral bottom shootbolt giving 1050mm handle height

	45mm Backset			
Door Height (mm)	Left Hand	Right Hand		
D40 Deadbolt	Complete with Adj	ustable Keeps		
1853 - 1996	D40LHH1	D40RHH1		
1997 - 2139	D40LHH2	D40RHH2		
2140 - 2281	D40LHH3	D40RHH3		
2282 - 2424	D40LHH4	D40RHH4		
2425 - 2565	D40LHH5	D40RHH5		
D41 Hookbolt	Complete with Adj	ustable Keeps		
1853 - 1996	D41LHH1	D41RHH1		
1997 - 2139	D41LHH2	D41RHH2		
2140 - 2281	D41LHH3	D41RHH3		
2282 - 2424	D41LHH4	D41RHH4		
2425 - 2565	D41LHH5	D41RHH5		

D40 Deadbolt

Easily operated by the convenient operating lever

Removes the need to use a seccond handle and cylinder

To suit sash heights 1853mm - 2565mm

'Secured by Design' approved.
Tested to PAS24 and forthcoming
EN14351-1:2006 standard









Each }+ £124.11 £153.01 £137.01 168.91 £137.01 168.91 £143.39 £176.78 £179.17 £145.33 3+ Each £120.97 £149.14 £133.87 £165.05

£133.87

£140.25

£142.19

£165.05

£172.92


£175.30

Double Door Mutipoint Lock - Single Handle Operation with Twin Hookbolt Slave Lock

"When using either the twin Deadbolt or the Hookbolt versions, the locking hooks penetrate the slave lock to secure the two leafs together. No additional hook keeps are required.

The D40/41 range is ideally suited to the trend towards taller French doors and for main entrance doors with an operating side panel.





D41 Hookbolt

Easily operated by the convenient operating lever

Removes the need to use a seccond handle and cylinder

To suit sash heights 1853mm - 2565mm

'Secured by Design' approved.
Tested to PAS24 and forthcoming
EN14351-1:2006 standard


	0	-				
please call	sights ranging mm to 2565mm 290mm 189mm	20mm 117.5mm 216mm 98.5mm	20mm 45mm D41 2105mm BS 63mm 92mm BS +18mm	113mm 455mm	45mm	113mmm
Ce	note 100mm			113mm	Centre 1050mm	





Stable Door **Multipoint Lock**





	(mm)	Left Hand	Right Hand			
D60 Adjustable 3 piece keep sets				Each	5+	10+
	upto 44	D60LH4544	D60RH4544	£119.34	£107.41	£87.12
	upto 56	D60LH4556	D60RH4556	£124.50	£112.05	£90.89
	upto 68	D60LH4568	D60RH4568	£127.09	£114.39	£92.78
	D60 Complete with Non-Adjustable Flat Keeps			Each	5+	10+
	upto 44	4 D6045FLAT		£109.27	£98.34	£79.76


The purpose made Reliance D60 stable door lock is a unique multipoint lock comprised of two completely separate locking components.

Door Thickness

The Reliance D60 can operate as a conventional single door by locking the two doors together, with a rack bolt and keeping all of the hooks retracted.

However, by releasing the rack bolt you can separate the upper and lower leafs to open the top section only.

A secure way to let natural light and air into your homes.



Door

Rack

Bolt

Key not included - order separately.

Finish		Each	5+	10+
PB	AIT400	£3.18	£2.98	£2.59
PC	AIT403	£4.09	£3.89	£3.30
SCP	AIT404	£4.09	£3.89	£3.30

Rack Bolt Ke	∍y			
Length		Each	5+	10+
35mm	AIT402	£1.22	£1.14	£1.06

65mm AIT415 £3.06 £2.78 £2.55

Splined Thumbturn for Rack Bolt		- [
Finish	Each	5+	10+

ΡВ £4.73 £3.95 £3.55 AIT405 £5.75 £5.18 £4.83 £12.01 £11.42 £10.84

Lever operated top lock

Key operated bottom lock fitted with a roller latch for ease of use

20mm wide radius end faceplate to suit popular routing techniques

High strength centre gearbox to reduce the risk of malicious abusive loads



25mm throw tapered plated steel hooks for optimum security, ease of operation and weather performance

45mm Backset

'Secured by Design'

approved. Tested to PAS24 and forthcoming

EN14351-1:2006 standard

Cylinders

Our range of high quality euro cylinders has been specially selected to suit a broad range of applications. All cylinders are

available keyed to differ or keyed alike allowing you to use them in industrial, commercial and domestic applications. All our cylinders meet fire reguations for FD30/60 doors.

Please refer to our main catalogue for the full range of 3* security rated cylinders.

Single Euro Cylinder Locks

Satin Chrome Plate









Satin Brass







Thumbturn Euro Cylinder Locks

Satin Chrome Plate










External Weather Strip

Length 2.4m - x 2



Finish		Each	5+	10+
ALUM	GSQ352	£21.17	£19.05	£16.42
BLK	GSQ360	£37.20	£33.48	£28.86
WHT	GSQ355	£27.02	£24.32	£28.86

Single Euro Cylinder Locks


Finish	Α	В	С		Each	5+	10+	Keyed Alike	Each	5+	10+
РВ	40	30	10	AIR306	£7.00	£5.83	£5.09	AIR306KA	£13.09	£11.78	£10.71
SCP	40	30	10	AIR307	£7.00	£5.83	£5.09	AIR307KA	£13.09	£11.78	£10.71
РВ	45	35	10	AIR321	£7.23	£6.02	£5.25	AIR321KA	£14.56	£13.10	£11.91
SCP	45	35	10	AIR320	£7.23	£6.02	£5.25	AIR320KA	£14.56	£13.10	£11.91
BLK	45	35	10	AIR250B	£10.53	£8.77	£7.65	AIR250BKA	£14.93	£13.44	£12.22


Double Euro Cylinder Locks

Finish	Α	В	С		Each	5+	10+	Keyed Alike	Each	5+	10+
SB	60	30	30	AIR300	£6.17	£5.15	£4.49	AIR300KA	£13.75	£11.46	£10.00
SCP	60	30	30	AIR303	£7.40	£6.17	£5.38	AIR303KA	£14.38	£11.98	£10.45
BLK	60	30	30	AIR300B	£9.15	£7.63	£6.65	AIR300BKA	£17.38	£14.98	£12.64
SB	70	35	35	AIR301	£6.60	£5.50	£4.80	AIR301KA	£14.13	£11.77	£10.27
SCP	70	35	35	AIR304	£8.30	£6.92	£6.04	AIR304KA	£14.63	£12.19	£10.64
BLK	70	35	35	AIR301B	£9.53	£7.94	£6.93	AIR301BKA	£18.93	£15.77	£13.76
SB	70	30	40	AIR322	£6.39	£5.25	£4.58	AIR322KA	£16.25	£13.54	£11.82
SCP	70	30	40	AIR323	£7.45	£6.21	£5.42	AIR323KA	£16.88	£14.06	£12.27
SB	80	40	40	AIR302	£9.98	£8.31	£7.25	AIR302KA	£14.85	£12.38	£10.80
SCP	80	40	40	AIR305	£10.13	8.44	£7.36	AIR305KA	£15.25	£12.71	£11.09
BLK	80	40	40	AIR302B	£11.40	£9.50	£8.29	AIR302BKA	£23.25	£19.79	£16.91
SB	80	50	30	AIR280	£10.20	£8.50	£7.42	AIR280KA	£20.67	£17.23	£15.03
SCP	80	50	30	AIR281	£10.50	£8.75	£7.64	AIR281KA	£20.67	£17.23	£15.03
SB	80	35	45	AIR324	£8.40	£7.00	£6.11	AIR324KA	£14.85	£12.38	£10.80
SCP	80	35	45	AIR325	£8.55	£7.13	£6.22	AIR325KA	£15.25	£12.71	£11.09
BLK	80	35	45	AIR324B	£9.73	£8.10	£7.07	AIR324BKA	£23.75	£19.75	£17.27
SB	85	35	50	AIR326	£11.25	£9.38	£8.18	AIR326KA	£24.50	£20.42	£17.82
SCP	85	35	50	AIR327	£11.00	£9.17	28.00	AIR327KA	£24.75	£20.63	£18.00
SB	90	45	45	AIR330	£11.05	£9.21	£8.04	AIR330KA	£22.76	£18.97	£16.56
SCP	90	45	45	AIR331	£11.25	£9.38	£8.18	AIR331KA	£22.98	£19.15	£16.71
BLK	90	45	45	AIR330B	£17.30	£14.42	£12.58	AIR330BKA	£27.58	£22.98	£20.05
SB	90	40	50	AIR332	£10.50	£8.75	£7.64	AIR332KA	£22.76	£18.97	£16.56
SCP	90	40	50	AIR333	£11.29	£9.41	£8.21	AIR333KA	£22.98	£19.15	£16.71
BLK	90	40	50	AIR332B	£17.00	£14.17	£12.36	AIR332BKA	£27.58	£22.98	£20.05
SB	95	45	50	AIR334	£11.43	£9.52	£8.31	AIR334KA	£29.23	£24.36	£21.26
SCP	95	45	50	AIR335	£13.81	£11.51	£10.04	AIR335KA	£29.23	£24.36	£21.26

Thumbturn Euro Cylinder Locks

Finish	Α	В	С		Each	5+	10+	Keyed Alike	Each	5+	10+
SB	60	30	30	AIR308	£9.90	£8.25	£7.20	AIR308KA	£16.18	£14.56	£13.24
SCP	60	30	30	AIR402	£10.15	£8.46	£7.38	AIR402KA	£16.18	£14.56	£13.24
BLK	60	30	30	AIR308B	£12.05	£10.04	£8.76	AIR308BKA	£17.78	£16.00	£14.55
SB	70	35	35	AIR400	£10.10	£8.42	£7.35	AIR400KA	£16.32	£14.69	£13.36
SCP	70	35	35	AIR403	£10.70	£8.92	£7.78	AIR403KA	£16.32	£14.69	£13.36
BLK	70	35	35	AIR400B	£12.78	£10.65	£9.29	AIR400BKA	£19.20	£17.28	£15.71
SB	80	40	40	AIR401	£11.37	£9.47	£8.27	AIR401KA	£17.29	£15.56	£14.15
SCP	80	40	40	AIR404	£11.73	£9.77	£8.53	AIR404KA	£17.29	£15.56	£14.15
BLK	80	40	40	AIR401B	£14.43	£12.02	£10.49	AIR401BKA	£20.69	£20.69	£16.93






Each

£2.57

5+


£2.31



Keeps

The range of keeps that are used on the Reliance range come with superb adjustability allowing you to micro adjust your door to achieve the very best fit.

The full length keep ensures a simple and hassle free installation.




10+

£2.05



(mm)

upto 44




Adjustable keep for top and bottom shootbolts


5+

10+

Each







Each


£3.83


5+


£3.45

10+

£3.06








Handles


Our range of multipoint lever handles have been specially selected to give you a wide range of traditional, contemporary and modern designs. All levers come complete with bolt through fixing screws and spindle. All designs shown have 92mm lock centres for use with the Reliance multipoint lock range.

White WHT
Black BLK
Polished Chrome PC
Satin Chrome Plate SCP
Elecroplated Brass EB
Brass Plate Stainless PVD
Pewter PEW
Polished Brass Unlaqured PBU
Imitation Bronze IBMA
Antique Brass AB












 $Kirk patrick_{\circ}$

Finish		Each	4+	7+
BLK	AIB534	£45.23	£41.46	£36.58
BLK	AIB533	£45.23	£41.46	£36.58
BLK	AIB531	£45.23	£41.46	£36.58
BLK	AIB532	£47.47	£43.51	£38.39

The complete range of Kirkpatrick levers are available, please call for further details.



The complete range of Croft levers are available, please call for further details.









Secured by Design



Official Police Security Initiative

The **Reliance** family of locks has been carefully selected to give you maximum security and peace of mind before and after the product has been fitted.

All of our products carry the **Secured by Design**, Police approved accreditation.

All **Secured by Design** products focus on providing quality over time, rather than the one-off testing required by building regulations, ensuring they are more robust to resist physical attack, last longer and require less maintenance.

The locks that we have selected provide high security levels that pass the rigours of **PAS23/24** and the forthcoming **EN14351-1 2006** security standard with ease when fitted into a door.

The interchangeable family of locks has been designed in order to create solutions for the varied applications, ability and ages of residents and their specific needs.





Signal Hill Lenborough Road Gawcott Buckingham MK18 4BU

telephone 01280 822062

email sales@qs-sales.com

